















SCHEDULE OF CLADDING PROFILES

 **TIMBER
CLADDING
SPECIALISTS**


















www.timbercladdingspecialists.co.uk

LIST OF PROFILES

	PROFILES AND CONNECTIONS	Timber Species	Unit	Depth	Length	Width	Coverage
1	Batten (PAR) 	Siberian Larch	mm	20	2000 - 6000	90 120 140	90 120 140
	Batten (PAR) in connection 	Scandinavian Spruce	mm	21	2000 - 6000	95 121 145	95 121 145
2	Half Lap 	Siberian Larch	mm	20	2000 - 6000	90 120 140	80 110 130
	Half Lap in connection 	Scandinavian Spruce	mm	21	2000 - 6000	95 121 145	85 111 135
3	Shadow Gap Square 	Siberian Larch	mm	20	2000 - 6000	90 120 140	80 110 130
	Shadow Gap Square in connection 	Scandinavian Spruce	mm	21	2000 - 6000	95 121 145	85 111 135
4	Tongue Groove V Joint 	Siberian Larch	mm	20	2000 - 6000	90 120 140	80 110 130
	Tongue Groove V Joint in connection 	Scandinavian Spruce	mm	19 21	2000 - 6000	146 95 121 145	136 85 111 135
5	Shadow Gap V Joint 	Siberian Larch	mm	20	2000 - 6000	90 120 140	80 110 130
	Shadow Gap V Square in connection 	Scandinavian Spruce	mm	21	2000 - 6000	95 121 145	85 111 135
6	Rainscreen 	Siberian Larch	mm	20	2000 - 6000	90 120 140	90 120 140
	Rainscreen in connection 	Scandinavian Spruce	mm	21	2000 - 6000	95 121 145	95 121 145

* Bespoke size and shape of cladding profile could be made to order.

7	Tongue Groove V Joint EXTRA		Siberian Larch	mm	20	2000 - 6000	90 120 140	80 110 130
	Tongue Groove V Joint EXTRA in connection		Scandinavian Spruce	mm	21	2000 - 6000	95 121 145	85 111 135
8	Shadow Gap		Siberian Larch	mm	20	2000 - 6000	90 120 140	80 110 130
	Shadow Gap in connection		Scandinavian Spruce	mm	21	2000 - 6000	95 121 145	85 111 135
9	Tongue Groove V Joint Secret Fix		Siberian Larch	mm	20	2000 - 6000	90 120 140	80 110 130
	Tongue Groove V Joint Secret Fix in connection		Scandinavian Spruce	mm	21	2000 - 6000	95 121 145	85 111 135
10	Shadow Gap V Joint		Siberian Larch	mm	20	2000 - 6000	90 120 145	80 110 130
	Shadow Gap V Joint in connection		Scandinavian Spruce	mm	21	2000 - 6000	95 121 145	85 111 135
11	Tongue Groove V Joint Secret Fix		Siberian Larch	mm	24	2000 - 6000	90 120 140	80 110 130
	Tongue Groove V Joint Secret Fix in connection		Scandinavian Spruce	mm	24	2000 - 6000	95 121 145	85 111 135
12	Shadow Gap V Joint		Siberian Larch	mm	24	2000 - 6000	90 120 140	80 110 130
	Shadow Gap V Joint in connection		Scandinavian Spruce	mm	24	2000 - 6000	95 121 145	85 111 135
13	Rainscreen TIGA		Siberian Larch	mm	27	2000 - 4000	68	68
	Rainscreen TIGA in connection		Scandinavian Spruce	mm	27	2000 - 4000	68	68





* Bespoke size and shape of cladding profile could be made to order.

*** TIGA FIXING SYSTEM fixinggroup.com/en/product/tiga

The logo features three stylized icons of timber cladding profiles on the left, followed by the text "TIMBER CLADDING SPECIALISTS" in a bold, yellow, sans-serif font on a dark green rectangular background.

**TIMBER
CLADDING
SPECIALISTS**



www.timbercladdingspecialists.co.uk